



NLR Air Transport Safety Institute

Research & Consultancy


Modelling and Analysis of Safety Risk in Air Traffic Design

Henk Blom

e-mail: blom@nlr.nl



Potential number of fatalities per accident



Modelling and Analysis of Safety Risk in Air Traffic Design


Motivation

Rare Event Simulation

Example scenarios

iFLY project


The capacity 'wall'




© European Organisation for the Safety of Air Navigation (EUROCONTROL)

Source: PRC 1 report

The capacity “wall” is a safety “wall”



Safety feedback based design



Modelling and Analysis of Safety Risk in Air Traffic Design

Motivation

Rare Event Simulation

Example scenarios

iFLY project

Risk Factorization

$$D_1 \supset D_2 \supset \dots \supset D_m = D$$

$$P\{\tau < T\} = \prod_{k=1}^m P\{\tau_k < T \mid \tau_{k-1} < T\}$$

τ = first hitting time of D

τ_k = first hitting time of D_k , $k = 1, 2, \dots, m$

$\tau_0 = 0$, initial state $\notin D_1$

Interacting Particle System (IPS)

NLR Air Transport Safety Institute

Research & Consultancy

- Simulate N_p particles (all starting outside D1)
- Freeze each particle that reaches the next urgent level within time T
- Make N_p copies of frozen particles
- Repeat this until the most urgent level has been reached
- Count the simulated fraction Y_k that reaches level k
- Estimated collision risk = $Y_1 \times Y_2 \times Y_3 \times \dots \times Y_m$

Proof of Convergence for Strong Markov process



Modelling and Analysis of Safety Risk in Air Traffic Design

Motivation

Rare Event Simulation

Example scenarios

iFLY project



Agents in Example model

- **Aircraft**
- **Pilot-Flying**
- **Pilot-Not-Flying**
- **ASAS**
- **Airborne GNC (Guidance, Navigation and Control)**
- **Global CNS (Communication, Navigation and Surveillance)**

Safety related event levels


Event	MTC	STC	MSI	NMAC	MAC
Prediction time (minutes)	8	2.5	0	0	0
Horizontal distance (Nm)	4.5	4.5	4.5	1.25	0.054
Vertical distance (ft)	900	900	900	500	131


MTC = Medium Term Conflict
STC = Short Term Conflict
MSI = Minimum Separation Infringement
NMAC = Near Mid-Air Collision
MAC = Mid-Air Collision

Monte Carlo simulated scenarios


Two aircraft head on encounter

Eight aircraft encounter






Top View ac paths



Top View ac paths



Modelling and Analysis of Safety Risk in Air Traffic Design

Motivation

Rare Event Simulation

Example scenarios

iFLY project

iFLY project


- 18 Partners from universities + industry
- Period: May 2007- August 2010
- NLR is coordinator


Key research questions:

- At which en-route traffic demands is self separation sufficiently safe ?
- Which complementary support services from ground ATM are needed in order to accommodate higher traffic demands ?

Thank you


Your questions are welcome





Scenario 3

Random traffic, high density



Eight aircraft per packed container

- 3 times as dense above Frankfurt on 23rd July '99
- factor 4 lower dense

High density random traffic

